




**CENTURY**PROWUD®



***The wood of the future***



After the Industrial revolution and the population explosion, the planet's forests have been shrinking at a rapid pace. The forests that turn globe-warming CO<sub>2</sub> into life-giving oxygen are disappearing because of our desire for natural materials like wood. It's time to work with a better alternative.

The world has moved to environment-friendly wood solutions like MDF and Particle Board manufactured with advanced technology and excellent aesthetics.

And now you can too! Century Prowud MDF and Particle Board offer you quality that matches International standards of performance, durability and aesthetics to open up creative possibilities like never before.

**So go ahead and think as big as the world does.**




**CENTURYPROWUD®**

World-class wood solutions  
to let you build the way the  
world does.

# Contents

Wood solutions for the next generation	02-03
CENBOIL PLUS - Marine Grade BWP HDF Boards	04-05
FSP - The Ultimate Defender	06-07
Premium Plus	08-09
DWR / DIR	10-11
Specifications and standards - Plain & Prelaminated MDF / HDHMR Boards	12
Specifications and standards FSP Board	13
Century Plain & Prelam Particle Board specification and standards	14-15-16-17-18
Woodgrain	19
Fabric and Textile	78
Stones and Marbles	86
Liner Pro	97
Solid Colours	112
Design Index	135-136



Century Prowud MDF  
and Particle Boards.

Wood solutions for the  
next generation



Century Prowud MDF is a revolutionary product which consists of a wide range of high quality engineered wood substitutes. It meets the evolving demands of modern consumers by being:

**Versatile:** Century Prowud MD is carefully engineered to make precise routing, machining and finishing possible. The product provides chipping-free edges, and can easily be carved and moulded. This makes Century Prowud MDF highly versatile and suitable for specialised applications requiring unique shapes or intricate designs. When it comes to designing furniture or other interior elements, now the only limit is your imagination.

**Smart:** Century Prowud MDF comes packed with superior technical features which provide strength and durability even under harsh conditions. Each board is constructed with Scalper Technology and quality checked at 128 individual points. This ensures uniform and high density, smoothness and routing grade quality, and resistance to adverse environment and pests. Our products are accredited by the Indian Green Building Council.


**Beautiful:** Century Prowud MDF provides both strength and beauty. Ultra smooth surfaces make them perfect for painting, polishing and providing high gloss. The smoothness also makes them the perfect substrate for laminates and veneers. Prelaminated boards, backed by the wide range of Century laminates, provide choices in terms of colours and designs which help our customers to express their creativity freely. Century Prowud MDF enables interiors, which can be aesthetically tailored to individual choice.

# CENBOIL PLUS

BWP HDF BOARDS

CENBO

MARINE GRADE



# The Future of Boiling Proof Interiors

Cenboil Plus by Century Prowud redefines quality and resilience, making it the ultimate choice for modern homes and workspaces. It is Pre- Engineered to withstand the toughest conditions, this boiling waterproof board offers unmatched durability and versatility for a variety of applications. Whether you're upgrading your kitchen, bathroom, or office interiors, Cenboil Plus stands as a testament to superior innovation and eco-consciousness.

## KEY FEATURES



Boiling Water Proof



Fire Retardant



Borer Proof



Termite Proof



High Moisture Resistant



Superior Strength



Super High-Density



High Surface Density



Maximum Screw Holding Capacity



Super Smooth Surface



High Bonding Strength



High Dimensional Stability



100% Hardwood



25 YEAR WARRANTY

## Technical Details

TEST DESCRIPTION	STANDARDS	UOM	SPECIFICATION	FIRE RETARDANT PLYWOOD IS-5509 REQUIREMENTS	CENBOIL PLUS HDF RESULTS
Thickness		mm		19 mm	18 mm
Flame Penetration	Should be minimum 2.5 times of thickness	Minutes	as per IS 5509	>45 Minutes	58.41 min
Rate of Burning	Time taken to lose weight from 30% to 70% shall not be less than 20 min	Minutes	as per IS 5509	>20 Minutes	43.5 min
Flammability	Time taken for 2 <sup>nd</sup> ignition shall not be less than 30 min	Minutes	as per IS 5509	>30 Minutes	66 min

**Thickness (in mm): 8, 12, 16, 16.75, 18**

Available Thickness (8/12/16/16.75/18 mm)  
Available in both Plain & Prelam Boards





# THE ULTIMATE DEFENDER



**FIRE  
FUNGUS  
TERMITE  
BORER  
MOISTURE  
RESISTANT**  
HIGHER DENSITY  
PREMIUM BOARD

Fire Smart Panel is the ultimate defender among building materials. Our cutting-edge MDF boards combine unrivalled strength with exceptional fire resistance, ensuring your safety and peace of mind. It not only prevents the entry of borers and termites like a true and fearless defender, it also combats water and fire to give exceptional durability and performance to your furniture and interiors in any environment.

## KEY FEATURES



Fire Resistant



High Moisture Resistance



Super Smooth & Paintable



Long Lasting & Value for Money



Environment-friendly



Borer, Termite & Fungus Resistant



Special ingredients for Toughness



Vast Range of Prelam Decor



Made with Scalper Technology



Uniform & Higher Density



Specially Developed for Indian Conditions



### Fire Smart Panel test report:

**Calculated Flame Spread:** 0 (Flame Spread Index ranges from 0-25)

**Calculated Smoke Developed:** 251.96 (Smoke Development limit: 450 Max)

**Conform to:** ASTM E84-2021 Class 1

Report By: Spectro Analytical Lab Pvt. Ltd.

Available in both Plain and Prelam Boards

**Thickness (in mm):** 5.50, 8.00, 12.00, 16.75, 18.00



  
**CENTURYPROWUD**  
**LOWER EMISSION**  
**PREMIUM PLUS**  
 Higher Density High Moisture Resistant Premium Boards

## KEY FEATURES

-   
 Uniform & Higher Density
-   
 High Moisture Resilience
-   
 Super Smooth & Paintable
-   
 Long Lasting & Value for Money
-   
 Environment-friendly
-   
 Borer, Termite & Fungus Resistant
-   
 Special Ingredients for Toughness
-   
 Vast Range of Prelam Decor



Healthy & eco-friendly in nature, Low Emission Premium Plus boards are ideal for all your furniture needs. Durable & versatile in nature, these boards are borer, termite and fungus resistant. They exude minimal formaldehyde fumes and can withstand high temperatures and moisture without losing their shine and strength. All these qualities are made available at no extra cost.

Perfect for creating durable furniture of all shapes and sizes, as well as stunning interiors of every design, it is unlike any other product because of the quality of the fibre it's made of!

### E2 compliant for a better future

E2 materials' formaldehyde release has to be 8mg /100g for oven dry board, which is identical to its purity. This means that the E2 standard is set at a humane level. Since this material will contain some amount of formaldehyde, you should know that standards only accept formaldehyde emissions at an extremely low rate.

### Standard Size:

8ft x 4ft (2440 mm x 1220 mm); Other variants available as per specifications

### Thickness (in millimetres)

3.00, 5.50, 7.50, 8.00, 11.00, 12.00, 16.00, 16.75, 18.00, 25.00

### Variants: Plain & Prelam (Above 5.5 mm)

**Range:** One-side laminated (OSL), Both-side laminated (BSL), One-side Bare (OSB), Both-side Balancing (BSB)

**Finishes:** Suede and Matt

## CERTIFICATIONS



FSC® - certified products available upon request



**VIROKILL**  
Kills 99.99% Viruses





## Different grades for diverse needs

Century Prowud MDF boards have a homogenous Internal structure with a super smooth surface. They are made with Scalper Technology and quality checked at 128 points to ensure that there is no warping, cracking, spitting or knots.



The boards are available in two grades:

**DWR**  
 Densified Water Resistant MDF  
 (IS Grade I)

its densified structure is forged with moisture fighting properties which make it suitable for varied and prolonged application in humid conditions.

**Standard Size:** 8ft x 4ft  
 (2440 mm x 1220 mm):  
 Other variants available  
 as per specifications

**Thickness (in mm)**  
 3.3, 5.5, 7.5, 11, 16.5,  
 17, 18, 25

**Variants: Plain & Prelam (5.5 mm & Above)**

**DIR**  
 Densified Interior MDF  
 (IS Grade II)

Super grade range for diverse applications in the interiors.

**Standard Size:** 8ft x 4ft  
 (2440 mm x 1220 mm):  
 Other variants available  
 as per specifications

**Thickness (in mm)**  
 1.5, 1.9, 2.1, 3.3, 4, 4.6, 5.5,  
 7, 7.3, 7.5, 9.75, 11, 14.5,  
 16, 16.5, 17, 18, 25, 30

**Variants: Plain & Prelam (5.5 mm & Above)**

**Range:** One-side laminated (OSLJ), Both-side laminated (BSL), Ono-side Bare (OSB), Both-side Balancing (BSB)

**Finishes:** Suede and Matt

CERTIFICATIONS

# Specifications and Standards

## Prelaminated MDF Boards

S. No.	Properties	Unit	IS 14587 Grade I DWR	IS 14587 Grade II DIR	Grade I Premium Plus
1	Length & Width tolerance	mm/meter	±3.0	±3.0	±3.0
2	Thickness tolerance	mm	±0.30	±0.30	±0.30
3	Squareness & Edge Straightness tolerance	mm/meter	2.0	2.0	2.0
4	Density	Kg/m <sup>3</sup>	-	-	850-870
5	Variation from mean density	%	±10	±10	±10
6	Moisture content	%	-	-	4 to 8
7	Variation from mean moisture content (absolute)	%	-	-	±3
8	Water absorption (maximum)	%			
	a) After 2 Hours soaking		6.0	9.0	5 (≤8 mm) 3.75 (>8 mm)
	b) After 24 Hours soaking		12.0	18.0	12 (≤8 mm) 11 (>8 mm)
9	Modulus of Rapture (minimum)	N/mm <sup>2</sup>			
	(a) Up to 20.0 mm				
	i. Average		28.0	28.0	35
	ii. Minimum		25.0	25.0	32
	(b) Above 20.0 mm				
	i. Average		25.0	25.0	NA
	ii. Minimum		22.0	22.0	NA
10	Modulus of Elasticity (minimum)	N/mm <sup>2</sup>			
	(a) Up to 20.0 mm				
	i. Average		2800	2800	3200
	ii. Minimum		2500	2500	3000
	(b) Above 20.0 mm				
	i. Average		2500	2500	NA
	ii. Minimum		2300	2300	NA
11	Tensile strength perpendicular to surface (IB)	N/mm <sup>2</sup>			
	(a) Up to 20.0 mm				
	i. Average		0.90	0.80	1.20
	ii. Minimum		0.80	0.70	1.00
	(b) Above 20.0 mm				
	i. Average		0.80	0.70	NA
	ii. Minimum		0.70	0.60	NA
12	Tensile strength perpendicular to surface (IB)	N/mm <sup>2</sup>			
	(a) After cyclic test				
	i. Average		0.45	NA	NA
	i. Minimum		0.40	NA	NA
	(b) After accelerated water resistance test				
	i. Average		0.30	NA	0.30
	ii. Minimum		0.25	NA	0.25
13	Screw withdrawal strength	N			
	Face		1500	1500	2000
	Edge (for thick>12.0 mm)		1250	1250	1500
14	Abrasion resistance, type II	Revolutions	450	450	450
15	Resistance to steam		No sign of blister, delamination or change in surface finish. There may be slight color change in dark colors/patterns.		
16	Resistance to crack		No sign of cracks or delamination.		
17	Resistance to stain		No stain on the specimen after cleaning with water, solvent or detergent.		
18	Resistance to cigarette burn		No mark or stain on the specimen after cleaning with water or solvent.		

\*NA- Not applicable

# Fire Smart Panel

## Specifications and Standards

Properties	UMO	FSP Standard
Dimension Tolerance		
Length & width	mm/mtr	±3
Thickness	mm	±0.30
Edge Straightness & Squareness (Max.)	mm/mtr	±2
Density	Kg/m <sup>3</sup>	850-870
Variation From Mean Density	%	±10
Moisture Content	%	4-8
Variation From Mean Moisture Content	%	±3
Linear Expansion (Thickness swelling in Water) Due to general absorption after 24 Hrs. soaking (Max.)	%	5
Internal Bond Strength (Min.)	N/mm <sup>2</sup>	1.0 - 1.20
Internal Bond Strength (Min.)		
a) After Cyclic Test	N/mm <sup>2</sup>	N/A
b) After Accelerated Water Resistant Test	N/mm <sup>2</sup>	0.25 - 0.30
Modulus of Rupture (Min.)	N/mm <sup>2</sup>	32 - 35
Modulus of Elasticity (Min.)	N/mm <sup>2</sup>	3000 - 3200
Screw Withdrawal Strength (Min.)		
Face	N	2000
Edge, For 12 mm and above thickness	N	1500
Formaldehyde Content	mg/100 gm for oven dry board	E1 : Fc ≤ 8
FR Class	As per ASTM E84	Class A



*\*T&C apply. Virokill feature is available only on Prelam MDF and Prelam Particle Board.*



## **CENTURY PARTICLEBOARD®** The Eco-friendly and Economical Board

Century Particle Boards are manufactured using high quality agro-wood plantation trees such as eucalyptus, making them environment-friendly.

These engineered wood panels are made of wood chips of pre-determined sizes and are bonded by synthetic resin under heat and pressure.

### **CERTIFICATIONS**

Prelam  
Particle  
Board

PLB12/PLB22

IS 12823:1990



CM/L-6700004109



Silver Nano Technology reduces microbial growth on the surface by 99.9%



# Century Plain Particle Board

## Specifications and Standards

Properties (Physical & Mechanical)	Specification as per IS 3087:2005 (Grade-II)	Century Plain Particle Board	Specification as per IS 3087:2005 (Grade-I)	Century Plain Particle Board
		18 mm		18 mm
Density	500- 900 Kg/m <sup>3</sup>	640	500- 900 Kg/m <sup>3</sup>	670
Density variation	± 10%	5	± 10%	5
Moisture content (%)	5 – 15%	7	5 – 15% +3	7.5
Water absorption (%) max				
(a) After 2 Hours	40	28	10	7
(b) After 24 Hours	80	65	20	16
Linear expansion (%) max.				
(i) Length	0.5%	0.3%	0.5%	0.3%
(ii) Width	0.5%	0.3%	0.5%	0.3%
Thickness Swelling (%), 2 Hours	12%	7.9%	8%	4.30%
Swelling in thickness Due to surface absorption (%)	9%	7%	6%	4%
Tensile strength perpendicular to surface (N/mm <sup>2</sup> ) Up to 20.0 mm Thickness Above 20.0 mm Thickness	0.3 N/mm <sup>2</sup>	0.35 N/mm <sup>2</sup>	0.45 N/mm <sup>2</sup> 0.40 N/mm <sup>2</sup>	0.5 N/mm <sup>2</sup> 0.45 N/mm <sup>2</sup>
Tensile strength (N/mm <sup>2</sup> ) (i) After cyclic test (ii) Accelerated water resistance test			0.2 0.15	0.22 0.18
Modulus of Rupture (N/mm <sup>2</sup> )	Avg. 11 N/mm <sup>2</sup>	13.2	Avg. 15 N/mm <sup>2</sup>	16.9
	Min. Ind. 10 N/mm <sup>2</sup>	12.4	Min. Ind. 13 N/mm <sup>2</sup>	14.3
Modulus of Elasticity N/mm <sup>2</sup>	Avg. 2000 N/mm <sup>2</sup>	2360	Avg. 2500 N/mm <sup>2</sup>	2680
	Min. Ind. 1800 N/mm <sup>2</sup>	1940	Min. Ind. 2200 N/mm <sup>2</sup>	2340
Screw withdrawal, N (min)				
a) Face side	1250 N	1340	1250 N	1460
b) Edge (for thickness >12.0 mm)	700 N	870	850 N	980

## Availability

Product	Finish	Size	Thickness
Plain Particle Board	NA	9'x6'(2750 mm x 1830 mm) 8'x6'(2440 mm x 1830 mm)	9 mm, 11mm, 12 mm, 15 mm, 17 mm, 18 mm, 25 mm
Prelaminated Particle Board	Suede & Matt	9'x6'(2750 mm x 1830 mm) 8'x6'(2440 mm x 1830 mm)	9 mm, 11 mm, 12 mm, 15mm, 17 mm, 18 mm, 25 mm

# Century Prelam Particle Board

## Specifications and Standards

Properties Physical & Mechanical	GRADE I, TYPE II		GRADE II, TYPE II	
	Specification as per IS 12823:1990	Century Prelam Particle Board	Specification as per IS 12823:1990	Century Prelam Particle Board
Length	2440 + 6 mm, -0 mm	2440 mm	2440 +6 mm, -0 mm	2440 mm
Width	1830 + 3 mm, -0 mm	1830 mm	1830 +3 mm, -0 mm	1830 mm
Thickness (mm)	Thick. ± 5%	18.10 mm	Thick. ± 5%	18.10 mm
Straightness	2 mm per 1000 mm or 0.2%	0.5 mm	2 mm per 1000 mm or 0.2%	0.5 mm
Squareness	2 mm per 1000 mm or 0.2%	0.5 mm	2 mm per 1000 mm or 0.2%	0.5 mm
Appearance	No A B C defects	Defect-free	No A B C defects	Defect-free
Density, Kg/m <sup>3</sup>	500-900 KG/M3	670	500-900 KG/m <sup>3</sup>	640
Density variation % (Max)	VAR.±10%	5	VAR.±10%	5
Water absorption (%) Max. (A) 2 Hours (B) 24 Hours	7 15	6 12	15 30	11 24
Thickness swelling (%), 2 Hours (Max)	5	3.5	8	6.5
Tensile strength perpendicular To Surface (N/mm <sup>2</sup> ) Up To 20.0 mm Thickness Above 20.0 mm Thickness	0.45 N/mm <sup>2</sup> 0.40 N/mm <sup>2</sup>	0.50 N/mm <sup>2</sup> 0.45 N/mm <sup>2</sup>	0.3 N/mm <sup>2</sup>	0.35 N/mm <sup>2</sup>
Tensile strength (N/mm <sup>2</sup> ) (I) After cyclic test (II) Accelerated water resistance test	0.2 0.15	0.22 0.18	Nil	Nil
Modulus of Rupture, N/mm <sup>2</sup> (Min) Avg. A) Average	15 N/mm <sup>2</sup>	17.5 N/mm <sup>2</sup>	11 N/mm <sup>2</sup>	13.5 N/mm <sup>2</sup>
Modulus of Elasticity, N/mm <sup>2</sup> A) Average	2500 N/mm <sup>2</sup>	2650 N/mm <sup>2</sup>	2500 N/mm <sup>2</sup>	2600 N/mm <sup>2</sup>
Screw withdrawal, N (Min) A) Face B) Edge	1250 N 850 N	1500 N 1000 N	1250 N 750 N	1400 N 900 N
Moisture content %	5-15 %	7%	5-15 %	7%
Abrasion resistance (Min) In no. of Revolutions	Min.450	475	Min.450	475
Resistance to Stream	Shall not show any sign of blister delamination or change in surface finish	Conforms	Shall not show any sign of blister delamination or change in surface finish	Conforms
Resistance to crack	Shall not show any signs of crack or delamination	Conforms	Shall not show any signs of crack or delamination	Conforms
Resistance to cigarette burn	Shall not leave any mark or stain	Conforms	Shall not leave any mark or stain	Conforms
Resistance to stains	Shall not leave any mark or stain	Conforms	Shall not leave any mark or stain	Conforms

Note: Prelaminated Particle Board conforms to IS 12823 : 1990, Type II, Grade I & Grade II.  
Century Prelaminated Particle Boards can also be supplied in E1 grade & HMR Grade.  
Prelam Particle boards are available in all colours and finishes shown in this catalogue

# WOODGRAINS



Century Prowud's Woodgrains series combines natural wood's look with advanced surface technology innovation. Crafted using state-of-the-art lamination technology, each panel reproduces real wood's refined textures and tones.

These pre-laminated panels are engineered to perform in high-use environments, offering moisture resistance, termite protection, and long-term surface stability. Ideal for cabinets, partitions, and architectural interiors, the woodgrains range delivers a refined aesthetic with dependable functionality.



**WOODGRAINS**



**CENTURYPROWUD<sup>®</sup>**

**NEW**

**Deco  
Teak  
4459**

**Wood-  
grain**

**Avaibility  
4\***



**CENTURYPROWUD<sup>®</sup>**

**NEW**

**Metro  
Teak  
4461**

**Wood-  
grain**

**Availbly  
4\* & 6\*\***



**CENTURYPROWUD®**

**NEW**

**Brazilian  
Teak  
4462**

**Wood-  
grain**

**Availability  
4' & 6' \*\***



**CENTURYPROWUD<sup>®</sup>**

**NEW**

**Sunny  
Oak  
5396**

**Wood-  
grain**

**Availbity  
4' & 6'\***



**CENTURYPROWUD<sup>®</sup>**

**NEW**

**Crown  
Oak  
5397**

**Wood-  
grain**

**Availbty  
4' & 6'\***



**CENTURYPROWUD<sup>®</sup>**

NEW

Cuba  
Oak  
5398

Wood-  
grain

Availbity  
4\*



**CENTURYPROWUD®**

Asian  
Walnut  
3519

Woodgrain

Availbly  
4'&6''



**CENTURYPROWUD®**

Salop  
Teak  
4451

Woodgrain

Availbly  
4\* & 6\*\*



**CENTURYPROWUD<sup>®</sup>**

Wild Pear  
403

Woodgrain

Availbly  
4\*



**CENTURYPROWUD®**

Paria Oak  
3674

Woodgrain

Availbly  
4'x6'\*\*



**CENTURYPROWUD®**

Deven  
Oak  
3675

Woodgrain

Availbly  
4'x6'\*\*



**CENTURYPROWUD®**

Padauk  
Burl  
3503

Woodgrain

Availbly  
4'x6'\*\*



**CENTURYPROWUD®**

Cairo  
Walnut  
4427

Woodgrain

Availbly  
4' & 6' \*\*



**CENTURYPROWUD®**

Classic  
Planked  
Walnut  
4429

Woodgrain

Availbly  
4\* & 6\*\*



**CENTURYPROWUD<sup>®</sup>**

Lyon  
Walnut  
655

Woodgrain

Availbly  
4' & 6'\*



**CENTURYPROWUD<sup>®</sup>**

Columbia  
Walnut  
656

Woodgrain

Availbly  
4' & 6' \*\*



**CENTURYPROWUD<sup>®</sup>**

Decent  
Walnut  
3524

Woodgrain

Availbly  
4' & 6' \*\*



**CENTURYPROWUD<sup>®</sup>**

Thansau  
Maple  
357

Woodgrain

Avaiblty  
4\* & 6\*\*



**CENTURYPROWUD<sup>®</sup>**

Blocked  
Oak  
4662

Woodgrain

Availbly  
4\*



**CENTURYPROWUD**<sup>®</sup>

Fleed Oak  
4675

Woodgrain

Availbty  
4\* & 6\*\*



**CENTURYPROWUD®**

Canyon  
Oak  
4674

Woodgrain

Availbly  
4' & 6' \*\*



**CENTURYPROWUD<sup>®</sup>**

Intal  
Beech  
323

Woodgrain

Availbly  
4\* & 6\*\*



**CENTURYPROWUD<sup>®</sup>**

Marine  
Walnut  
657

Woodgrain

Availbly  
4' & 6' \*\*



**CENTURYPROWUD®**

Samoa  
Teak  
456

Woodgrain

Availbly  
4' & 6' \*\*



**CENTURYPROWUD®**

Smoked  
Teak  
3454

Woodgrain

Availbly  
4\*



**CENTURYPROWUD®**

Evaluzion  
Teak  
3451

Woodgrain

Availbly  
4\*



**CENTURYPROWUD®**

Nayana  
Teak  
4446

Woodgrain

Availbly  
4' & 6' \*\*



**CENTURYPROWUD®**

Natural  
Mahogany  
469

Woodgrain

Availbly  
4\* & 6\*\*



**CENTURYPROWUD®**

Khaya  
Mahogany  
473

Woodgrain

Availbly  
4\* & 6\*\*



**CENTURYPROWUD®**

Flowery  
Wenge  
3793

Woodgrain

Availbly  
4\* & 6\*\*



**CENTURYPROWUD®**

Urban  
Teak  
4447

Woodgrain

Availbly  
4\* & 6\*\*



**CENTURYPROWUD®**

Wyoming  
Maple  
3345

Woodgrain

Availbly  
4' & 6' \*\*



**CENTURYPROWUD<sup>®</sup>**

Fusion  
Maple  
3525

Woodgrain

Availbly  
4' & 6' \*\*



**CENTURYPROWUD®**

Bavarian  
Beech  
311

Woodgrain

Availbly  
4\* & 6\*\*



**CENTURYPROWUD®**

Sapelli  
3541

Woodgrain

Availbly  
4\* & 6\*\*



**CENTURYPROWUD®**

Oxford  
Cherry  
3376

Woodgrain

Availbly  
4\* & 6\*\*



**CENTURYPROWUD®**

Accademia  
Cherry  
4371

Woodgrain

Availbly  
4\* & 6\*\*



**CENTURYPROWUD<sup>®</sup>**

Natural  
Ebony  
3438

Woodgrain

Availbly  
4' & 6' \*\*



**CENTURYPROWUD<sup>®</sup>**

Highland  
Pine  
3532

Woodgrain

Availbly  
4'x6'\*\*



**CENTURYPROWUD<sup>®</sup>**

Douglas  
Pine  
483

Woodgrain

Availbly  
4'x6'\*\*



**CENTURYPROWUD®**

Mangfall  
Beech  
3324

Woodgrain

Availbly  
4\* & 6\*\*



**CENTURYPROWUD<sup>®</sup>**

Smoked  
Pine  
4536

Woodgrain

Availbly  
4' & 6'\*



**CENTURYPROWUD®**

Acacia  
706

Woodgrain

Availbly  
4\* & 6\*\*



**CENTURYPROWUD**<sup>®</sup>

Sonoma  
Oak  
3661

Woodgrain

Availbly  
4' & 6' \*\*



**CENTURYPROWUD®**

Napa  
Oak  
3662

Woodgrain

Availbly  
4' & 6' \*\*



**CENTURYPROWUD®**

Wenge  
Cream  
676

Woodgrain

Availbly  
4\* & 6\*\*



**CENTURYPROWUD®**

Wenge  
Brew  
675

Woodgrain

Availbly  
4\*



**CENTURYPROWUD®**

Grenada  
Pine  
4539

Woodgrain

Availbly  
4' & 6' \*\*



**CENTURYPROWUD**<sup>®</sup>

Sacramento  
Oak  
3402

Woodgrain

Availbly  
4' & 6' \*\*



**CENTURYPROUD®**

Grey Linen/  
Irving Dark  
4872

Fabric &  
Textile

Availbty  
4\*



**CENTURYPROWUD®**

Classic  
Walnut  
3523

Woodgrain

Availbly  
4' & 6' \*\*



**CENTURYPROUD<sup>®</sup>**

Genial  
Weave  
4855

Fabric &  
Textile

Avaibility  
4\* & 6\*\*



**CENTURYPROWUD®**

BODENASEE  
BEECH  
303

Woodgrain

Availty  
4\* & 6\*\*



**CENTURYPROWUD®**

Magic  
Beans  
859

Fabric &  
Textile

Availbly  
4\*&6\*\*



**CENTURYPROWUD®**

Maldau  
Acacia  
3707

Woodgrain

Availbly  
4\* & 6\*\*



**CENTURYPROUD**<sup>®</sup>

Chocolate  
SawLine  
3667

Fabric &  
Textile

Availbly  
4\*&6\*\*



**CENTURYPROWUD<sup>®</sup>**

Snow  
Pine  
4535

Woodgrain

Availbly  
4\*

# FABRIC AND TEXTILE



Inspired by contemporary lifestyles and designed for refined interiors, Century Prowud's fabric and textile range brings the elegance of fine textiles to the durability of engineered wood. With surface patterns inspired by the textures of linen, silk, and jute, these panels bring a soft, fabric-like elegance with the resilience of engineered wood.

These pre-laminated panels offer a rich experience while ensuring long-lasting performance. Ideal for wardrobes, headboards, and accent walls, the range adds sophistication to any space. Engineered to resist stains, wear, and everyday handling, it combines aesthetic charm with practical functionality. This collection is a seamless blend of texture, grace, and structural excellence.



FABRIC AND TEXTILE



**CENTURYPROWUD**<sup>®</sup>

Grey  
Prapila  
3721

Fabric &  
Textile

Availbty  
4\* & 6\*\*



**CENTURYPROWUD<sup>®</sup>**

Linen  
Weave  
3879

Fabric &  
Textile

Availbly  
4\* & 6\*\*



**CENTURYPROWUD<sup>®</sup>**

Ecuru  
Weave  
4865

Fabric &  
Textile

Avaibilty  
4\*



**CENTURYPROWUD<sup>®</sup>**

Brifa  
Weave  
4861

Fabric &  
Textile

Availbty  
4\* & 6\*\*



**CENTURYPROUD**<sup>®</sup>

Brilliant  
Weave  
4854

Fabric &  
Textile

Availbly  
4'x6'\*



**CENTURYPROWUD®**

Brown  
Prapila  
3722

Fabric &  
Textile

Avaiblty  
4\*&6\*\*




**CENTURYPROWUD<sup>®</sup>**

Sandy  
Saw Line  
3666

Fabric &  
Textile

Availbly  
4' & 6'\*

# STONES AND MARBLES



The stones and marble collection from Century Prowud blends the grandeur of natural elements with the functionality of advanced lamination technology. Ideal for wall panels, countertops, reception areas, and statement furniture, the collection offers superior scratch resistance, moisture protection, and easy installation.

Century Prowud's stone and marble products are a perfect fit for upscale homes, hotels, and corporate spaces, and they deliver a refined, timeless aesthetic without the cost or limitations of natural materials. With high resistance to scratches, stains, and moisture, the collection is as resilient as it is beautiful. It lets you bring natural textures into contemporary spaces with unmatched ease and elegance.



**STONES AND MARBLES**



**CENTURYPROWUD®**

**NEW**

**Fancy  
Marmor  
4852**

**Stone  
&  
Marble**

**Availbly  
4\* & 6\*\***



**CENTURYPROWUD<sup>®</sup>**

**NEW**

**Estrie  
Marble  
4848**

**Stone  
&  
Marble**

**Availbity  
4\***



**CENTURYPROUD**<sup>®</sup>

NEW

Brucite  
Marble  
4845

Stone  
&  
Marble

Availbity  
4\*



**CENTURYPROWUD<sup>®</sup>**

NEW

Modern  
Marmor  
4851

Stone  
&  
Marble

Availability  
4' & 6'\*\*



**CENTURYPROWUD<sup>®</sup>**

NEW

Canyon  
Marble  
4849

Stone  
&  
Marble

Availbity  
4\*



**CENTURYPROWUD®**

**NEW**

**Rivera  
Marble  
5892**

**Stone  
&  
Marble**

**Availbity  
4\***



**CENTURYPROWUD®**

**NEW**

**Carrara  
Marble  
5849**

**Stone  
&  
Marble**

**Availbity  
4' & 6'\*\***



**CENTURYPROWUD<sup>®</sup>**

NEW

Black  
Marquina  
S8151

Stone  
&  
Marble

Availability  
4' & 6'+

# LINER PRO



Engineered for excellence beneath the surface, Liner Pro by Century Prowud is the essential support panel that ensures modular furniture's structural integrity and balance. Designed for internal applications like drawer backs, cabinet undersides, and concealed panels, Liner Pro offers unmatched dimensional stability, moisture resistance, and uniformity.

While its primary function is performance-based, Liner Pro provides a clean and neat finish to non-visible areas such as the inner surfaces of drawers, backs of cupboards, and underside of counters. It's a reliable companion to the more decorative laminates in the Prowud collection, ensuring a complete and cohesive finish. With Century Prowud's quality assurance at its core, Liner Pro is the hero that supports every design from within.



LINER PRO



**CENTURYPROWUD<sup>®</sup>**

**NEW**

**Light  
Grey  
3234**

**Liner  
Pro**

**Availbty  
4\* & 6\*\***



**CENTURYPROWUD®**

**NEW**

**Dark  
Grey  
3235**

**Liner  
Pro**

**Availbity  
4' & 6'\***



**CENTURYPROWUD®**

**NEW**

**Lace  
Weave  
4813**

**Liner  
Pro**

**Availbity  
4\* & 6\*\***



**CENTURYPROWUD®**

**NEW**

**Georgette  
weave  
4814**

**Liner  
Pro**

**Availability  
4\* & 6\*\***



**CENTURYPROWUD®**

**NEW**

**Dot  
Fabric  
4815**

**Liner  
Pro**

**Availbty  
4'&6'\***



**CENTURYPROWUD®**

NEW

Satin  
Weave  
4816

Liner  
Pro

Availability  
4\*



**CENTURYPROUD®**

NEW

Twill  
Weave  
4817

Liner  
Pro

Availbity  
4\*6\*\*



**CENTURYPROUD**<sup>®</sup>

**NEW**

**Modal  
Fabric  
4818**

**Liner  
Pro**

**Availbity  
4\* & 6\*\***



**CENTURYPROWUD<sup>®</sup>**

**NEW**

**Toile  
Fabric  
4819**

**Liner  
Pro**

**Availbly  
4\* & 6\*\***



**CENTURYPROWUD<sup>®</sup>**

NEW

Golden  
Teak  
4452

Liner  
Pro

Availability  
4\* & 6\*\*



**CENTURYPROWUD<sup>®</sup>**

**NEW**

**Accro  
White  
105**

**Liner  
Pro**

**Availbity  
4\* & 6\*\***



**CENTURYPROUD®**

**NEW**

**Shell  
White  
3108**

**Liner  
Pro**

**Availability  
4\* & 6\*\***



**CENTURYPROWUD®**

**NEW**

**Antique  
Beige  
169**

**Liner  
Pro**

**Availbity  
4' & 6' \*\***

# SOLID COLOURS



Century Prowud's Solid Colour range brings a vibrant spectrum of shades, from subtle neutrals to bold, expressive tones designed to complement contemporary interior themes. These pre-laminated panels offer a consistent, flawless finish with high colour retention and surface strength, making them ideal for modular furniture, accent walls, partitions, and more. The collection balances aesthetic purity with performance and is built to withstand fading, stains, and daily usage.

Designers and homeowners use solid colour panels in wardrobes, shelving, wall units, partitions, and even kids rooms for their functional charm and visual clarity. Easy to match, mix, and pair with other finishes, this range is where creativity meets consistency.

It's a colour you can count on for aesthetics that never go out of style.



**SOLID COLOURS**



**CENTURYPROWUD<sup>®</sup>**

NEW

Slate  
Grey  
3229

Solid  
Colour

Availbity  
4\* & 6\*\*



**CENTURYPROWUD®**

Off White  
118

Solid  
Colour

Availbly  
4'&6''



**CENTURYPROWUD®**

Frosty  
White  
111

Solid  
Colour

Availbly  
4\* & 6\*\*



**CENTURYPROWUD®**

Snow  
White  
106

Solid  
Colour

Availbly  
4\* & 6\*\*



**CENTURYPROWUD<sup>®</sup>**

Pink  
193

Solid  
Colour

Availty  
4\*



**CENTURYPROWUD<sup>®</sup>**

Chestnut  
Red  
148

Solid  
Colour

Availbly  
4\*



**CENTURYPROWUD<sup>®</sup>**

Blood  
Red  
195

Solid  
Colour

Availbly  
4\*



**CENTURYPROWUD®**

Ivory  
121

Solid  
Colour

Availbly  
4'&6'\*



**CENTURYPROWUD®**

Beige  
163

Solid  
Colour

Availty  
4\*



**CENTURYPROUD®**

NEW

Sky  
Blue  
3253

Solid  
Colour

Availbly  
4\*



**CENTURYPROWUD®**

**NEW**

**Ocean  
Green  
3286**

**Solid  
Colour**

**Availbty  
4' & 6'\***



**CENTURYPROWUD®**

Mandarin  
Garnet  
219

Solid  
Colour

Availty  
4\* & 6\*\*



**CENTURYPROWUD<sup>®</sup>**

Silver  
Grey  
222

Solid  
Colour

Availbly  
4\* & 6\*\*



**CENTURYPROWUD<sup>®</sup>**

Gothic  
Grey  
224

Solid  
Colour

Availbly  
4\*&6\*\*



**CENTURYPROWUD<sup>®</sup>**

Lavender  
261

Solid  
Colour

Availbly  
4\*



**CENTURYPROWUD®**

Burgundy  
182

Solid  
Colour

Availbly  
4\*



**CENTURYPROWUD<sup>®</sup>**

Graphite  
Grey  
238

Solid  
Colour

Availbly  
4\* & 6\*\*



**CENTURYPROWUD®**

Electric  
Blue  
3242

Solid  
Colour

Availbly  
4\* & 6\*\*



**CENTURYPROWUD®**

Bloom  
Green  
289

Solid  
Colour

Availbly  
4\* & 6\*\*



**CENTURYPROWUD<sup>®</sup>**

Yellow  
3203

Solid  
Colour

Availty  
4\*&6\*\*



**CENTURYPROWUD®**

Black  
293

Solid  
Colour

Availty  
4\* & 6\*\*

# Design Index

Design No.	Design Name	Page	Design No.	Design Name	Page
4459 	Deco Teak	19	469	Natural Mahogany	46
4461 	Metro Teak	20	473	Khaya Mahogany	47
4462 	Brazilian Teak	21	3793	Flowery Wenge	48
5396 	Sunny Oak	22	4447	Urban Teak	49
5397 	Crown Oak	23	3345	Wyoming Maple	50
5398 	Cuba Oak	24	3525	Fusion Maple	51
3519	Asian Walnut	25	311	Bavarian Beech	52
4451	Salop Teak	26	3541	Sapeli	53
403	Wild Pear	27	3376	Oxford Cherry	54
3674	Paria Oak	28	4371	Accademia Cherry	55
3675	Deven Oak	29	3438	Natural Ebony	56
3503	Padauk Burl	30	3532	Highland Pine	57
4427	Cairo Walnut	31	483	Douglas Pine	58
4429	Classic Planked Walnut	32	3324	Mangfall Beech	59
655	Lyon Walnut	33	4536	Smoked Pine	60
656	Columbia Walnut	34	706	Accacia	61
3524	Decent Walnut	35	3661	Sonoma Oak	62
357	Thansau Maple	36	3662	Napa Oak	63
4662	Blocked Oak	37	676	Wenge Cream	64
4675	Fleed Oak	38	675	Wenge Brew	65
4674	Canyon Oak	39	4539	Greda Pine	66
323	Intal Beech	40	3402	Sacramento Oak	67
657	Marine Walnut	41	4872	Grey Linen/Irving Dark	68
456	Samoa Teak	42	3523	Classic Walnut	69
3454	Smoked Teak	43	4855	Genial Weave	70
3451	Evaluzion Teak	44	303	BODENASEE BEECH	71
4446	Nayana Teak	45	859	Magic Beans	72

\*CenturyPly has an ongoing policy of design, development and improvement, and thus reserves the right to modify the product without any prior information.

# Design Index

Design No.	Design Name	Page	Design No.	Design Name	Page
3707	Maldau Acacia	73	4819 	Toile Fabric	99
3667	Chocolate SawLine	74	4452 	Golden Teak	100
4535	Snow Pine	75	105 	Accro White	101
3721	Grey Prapila	76	3108 	Shell White	102
3879	Linen Weave	77	0169 	Antique Beige	103
4865	Ecuru Weave	78	3229 	Slate Grey	104
4861	Brila Weave	79	118	Off White	105
4854	Brilliant Weave	80	111	Frosty White	106
3722	Brown Prapila	81	106	Snow White	107
3666	Sandy Saw Line	82	193	Pink	108
4852 	Fancy Marmor	83	148	Chestnut Red	109
4848 	Estrie Marble	84	195	Blood Red	110
4845 	Brucite Marble	85	121	Ivory	111
4851 	Modern Marmor	86	163	Beige	112
4849 	Canyan Marble	87	3253	Sky Blue	113
5892 	Rivera Marble	88	3286	Ocean Green	114
5849 	Carrara Marble	89	219	Mandarin Garnet	115
S8151 	Black Marquina	90	222	Silver Grey	116
3234 	Light Grey	91	224	Gothic Grey	117
3235 	Dark Grey	92	261	Lavender	118
4813 	Lace Weave	93	182	Burgundy	119
4814 	Georgette weave	94	238	Graphite Grey	120
4815 	Dot Fabric	95	3242	Electric Blue	121
4816 	Satin Weave	96	289	Bloom Green	122
4817 	Twill Weave	97	3203	Yellow	123
4818 	Modal Fabric	98	293	Black	124

\*Available only in 4 Ft. width

\*\*Available only in 4 Ft. & 6 Ft. width

\*\*\*Century has an ongoing policy of design, development and improvement, and thus reserves the right to modify the product without any prior information.

\*\*This is a digital catalogue for reference purpose only.  
Actual product colour and finish may vary

# SHAPING THE FUTURE WITH SUPERIOR BOARDS



Made at the most advanced  
plant in India



Plant spread over 1,57,600  
sq. m. in Hoshiarpur, Punjab



Annual production of  
2.5 Lakh cbm



State-of-the-art machinery  
and research facility



World-class board with  
superior density



Available in a wide range of  
shades



## CENTURYPROWUD®

Century Plyboards (India) Limited  
Engineered Panel Products Division

Sales & Marketing Office: Tower B - 8th Floor, Vatika Mindscape,  
Sector 27D, Faridabad, Haryana - 121003.

Ph.: 7042399909 | Email: [prowud@centuryply.com](mailto:prowud@centuryply.com)

[www.centuryprohud.com](http://www.centuryprohud.com) | Follow us on:     @centuryprohud